Chief Secretary's Office, Adelaide, November 8th, 1897.

THE following Returns of Births and Deaths registered in South Australia during the undermentioned period are published for general information.

J. V. O'LOGHLIN, Chief Secretary.

Return of Births and Deaths registered in South Australia, exclusive of the Northern Territory, in the Month of September, 1892-97.

Years	1892.	1893.	1894.	1895.	1896.	Average	1897.										Total	
*Population, Sept. 1st	326,793	337,321	343,631	348,507	351,640	of Five Years.	352,383								for 1897.			
Births	893	975	823	874	807	874	846								7,256			
Rate per cent	.278	.289	.240	.251	•229						-2	40						
Deaths							All Ages.	Under 1 year.	l and under 5.	6 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	86 and upwards.	Not stated.	+Coroners'	†Uncerti- fied gauses of Death.	
All causes	257	432	336	264	286	315	272	46	11	24	48	51	71	21		28	3	2,862
Rate per cent	.079	•128	.098	.076	.081	_	.077	_		_				_	_		_	
Diseases— 1. Specific Febrile or Zymotic 11. Parasitic 12. Constitutional 23. V. Developmental 24. VI. Local 25. VII. Violence 26. VIII. Ill-defined and not specified	19 4 1 52 26 125	117 1 1 64 38 179 15	39 2 1 67 45 148 16	8 2 1 55 39 133 14	28 2 1 52 39 132 21		16 1 2 50 41 138 16	4 - 10 24 1	2 - 1 - 6 2	2 -1 6 -9 6	5 - 16 - 23 4	$\frac{3}{1}$ $\frac{15}{30}$ $\frac{3}{2}$	11 20 37 1	1 11 9				
causes	17	17	18	12	11	-	8	7	-		_		1			-		

^{*} The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese), and also of the number of the aborigines.

† Including inquests.

† Not certified by qualified practitioners.

Causes of Deaths registered in the Month of September, 1897.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
- I.						Diseases of locomotive sys-		
Measles	-	_	V.			tem	-	2
Scarlet fever	1	1	Premature birth	9		Diseases of integumentary		
Relapsing fever	_	-	Cyanosis	-	_	system	_	_
Influenza	1	2	Congenital defects,	1	-	VII.		
Whooping-cough	_		Old age	-	31	(Accident.)		
Diphtheria	1	1	VI.			Fracture and contusion	1	6
Simple and ill-defined fever	_	_	Apoplexy	-	9	Gunshot wound		_
Enteric fever	-	5	Epilepsy	-	1	Cut, stab	_	_
Simple cholera	-	_	Convulsions	7	2	Burn and scald	_	2
Diarrhœa, dysentery	-	_	Other diseases of brain and			Poison	-	_
Remittent fever	_	- 1	nervous system	1	11	Drowning	-	5
Venereal affections	-	1	Diseases of organs of special		}	Suffocation	-	-
Erysipelas	1	_	sense	_	-	Otherwise	-	
Pyæmia and septicæmia		1	Diseases of circulatory sys-			(Homicide.)		
Puerperal fever	-	1	tem	3	39	Murder and manslaughter	-	-,
Other zymotic diseases	-	-	Croup	-		(Suicide.)		
II.			Bronchitis	6	5	Gunshot wound		
Thrush	-	- 1	Pneumonia	3	7	Cut, stab	-	1
Worms and other parasitical			Pleurisy	-	2	Poison	-	1
diseases		1	Other diseases of respiratory			Drowning	-	1
III.			system	-	4	Hanging	-	_
Privation-want of breast milk	-	1	Dentition	1	_	Otherwise		_
Alcoholism		1	Quinsy, sore throat	_	_	(Execution.)		
IV.			Enteritis	2	3	HangingVIII.		
Rheumatic fever and rheuma-			Peritonitis	1	1		7	
tism of heart	-	_	Diseases of liver	-	5	Dropsy	7	-
Rheumatism		-	Other diseases of digestive			Debility, atrophy, inanition	-	-
Gout	-	-	system	_	8	Mortification	-	-
Cancer, malignant disease	-	19	Diseases of lymphatic sys-			Tumor	_	
Tabes mesenterica	_	_	tem and of ductless glands	-		Abscess		
Tubercular meningitis	-	2	Diseases of urinary system	-	11	Hæmorrhage	-	
Phthisis	-	25	Diseases of generative sys-			Sudden, cause unascertained	-	-
berofula, tuberculosis	-	3	tem	_	1	Other ill-defined and not		1
Other constitutional diseases	_	1	Accidents of childbirth	-	3	specified causes		1

Return of Births and Deaths registered in the City of Adelaide in the Month of September, 1892-97.

Years	1892.	1893.	1894.	1895.	1896.	Average of Five					18	897.						Total for
Population, Jan. 1st	38,240	39,073	39,749	40,167	40,406	Years.	40,384								1897.			
Births	90	104	86	87	81	90	95									843		
Rate per cent	•235	•266	•216	•216	•200	_					•2	35				1		
Deaths -							All Ages.	Under l year.	l and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	*Coroner's inquiries.	+Uncerti- fied sauses of death.	
All causes	59	95	69	53	64	68	73	7	2	7	20	16	16	5		2	_	634
Rate per cent	·154	•243	•174	·132	•158	-0	-181		_	_	_	_		_		_	_	
Diseases— I. Specific Febrile or Zymotic . II. Parasitic IV. Constitutional . V. Developmental VI. Local VII. Violence VIII. Ill-defined and not specified causes	3 3 1 18 4 25 3	21 	5 1 -23 7 28 2	1 1 15 7 27 —	8 ————————————————————————————————————		3 1 			1 - 3 - 3	$\frac{1}{\frac{7}{10}}$	1 - 6 - 9	 1 4 6 5 	3 2			730000000000000000000000000000000000000	

^{*} Including inquests.

Causes of Deaths registered in the Month of September, 1897.

)	1				NE /]
	Under	One Year and		Under	One Year and		Under	One Yea
	Year.	Above.		Year.	Above.		Year.	Above.
I.						Accidents of childbirth		
Measles			Scrofula, tuberculosis		1	Diseases of locomotive system	-	1
Scarlet fever ,			Other constitutional diseases	_	_	Diseases of integumentary		
Relapsing fever	_					system		
Influenza	_		V.					
Whooping-cough	_		Premature birth	1	-	VII. (Accident.)		
Diphtheria		/	Cyanosis	-	_	Fracture and contusion	1	-
Simple and ill-defined fever	-		Congenital defects		9	Gunshot wound	_	-
Enteric fever	-	2	Old age		9	Cut, stab	_	
Simple cholera	_		VI.			Poison	_	
Diarrhœa, dysentery Remittent fever	_		Apoplexy	_	1	Drowning	_	
Venereal affections		1	Epilepsy		_	Suffocation		
Erysipelas			Convulsions	4	1	Otherwise		-
Pyæmia and septicæmia			Other diseases of brain and			(Homicide.)		
Puerperal fever		_	nervous system	-	5	Murder and manslaughter		
Other zymotic diseases			Diseases of organs of special			(Suicide.)		
			sense		_	Gunshot wound		-
II.			Diseases of circulatory system	1	9	Cut, stab		
Thrush	-	_	Croup		_	Poison		_
Worms and other parasitical			Bronchitis	_	1	Drowning		1
diseases	_	1	Pneumonia		2	Hanging		1
III.			Pleurisy Other diseases of respiratory	_	1	Otherwise (Execution)		_
Privation—want of breast milk		_	system	_	_	Hanging		
Alcoholism	_		Dentition			manging	_	
THOUSE			Quinsy, sore throat			VIII.		
IV.			Enteritis	i —	_	Dropsy		_
Rheumatic fever and rheuma-			Peritonitis	_	1	Debility, atrophy, inanition	_	_
tism of heart			Diseases of liver	_	4	Mortification	_	_
Rheumatism		_	Other diseases of digestive			Tumor		-
Gout	-		system	-	2	Abscess	_	
Cancer, malignant disease	_	7	Diseases of lymphatic sys-			Hæmorrhage	_	_
Tabes mesenterica	-	_	tem and of ductless glands	-	_	Sudden, cause unascertained	-	-
Tubercular meningitis	-	2	Diseases of urinary system	-	2	Other ill-defined and not		-
Phthisis	-	10	Diseases of generative system		1	specified causes	-	
								1

⁺ Not certified by qualified practitioners.

Return of Births and Deaths registered in each Ward of the City of Adelaide, exclusive of Deaths in Public Institutions, of persons not usually resident in the city, in the Month of September, 1897.

	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell.
Area in acres	3,632	573	659	552	718	480	650
Estimated population January 1st, 1897	40,384	6,289	7,028	8,551	9,887	3,679	4,950
Persons to an acre	11.1	11.0	10.7	15.5	13.8	7.7	7.6
Births	95 43 52	7 3 4	29 9 20	23 13 10	23 12 11	5 3 2	8 3 5
Deaths	59 33 26	18 10 8	12 7 5	8 5 3	9 5 4	7 3 4	5 3 2
CLASSES. I. Specific Febrile or Zymotic Diseases II. Parasitic Diseases III. Dietic Diseases IV. Constitutional Diseases V. Developmental Diseases VI. Local Diseases VII. Violence VIII. Ill-defined and not specified causes	1 13 10 32 3			1 1 6 	5 2 2	1 1 5	
Percentage of Deaths to population of each Ward	146	.286	.171	.094	.091	.190	-101

Causes of Deaths registered in the Month of Scptember, 1897.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Yea and Above.
I.			Phthisis		7	Accidents of childbirth		
Measles			Scrofula, tuberculosis	_	1	Diseases of locomotive system		1
Scarlet fever	-		Other constitutional diseases.		-	Diseases of integumentary		
Relapsing fever	_					system	_	-
nfluenza	-	4 -	V.			VII.		
Whooping-cough	_	_	Premature birth	1		(Accident.)		
iphtheria	-		Cyanosis			Fracture and contusion	1	
imple and ill-defined fever			Congenital defects	_		Gunshot wound		
nteric fever	_	1	Old age	_	9	Cut stab	-	
imple cholera	_	_				Cut, stab	_	
Piarrhœa, dysentery		_	VI.			Poison	-	
emittent fever			Apoplexy		1	Drowning		
enereal affections	_		Epilepsy			Suffocation		
rysipelas	-		Convulsions	4	1	Otherwise		
yæmia and septicæmia	_		Other diseases of brain and			(Homicide.)		,
uerperal fever	_	_	nervous system		4	Murder and manslaughter		
ther zymotic diseases			Diseases of organs of special			(Execution)		
			sense		_	Hanging		
II.			Diseases of circulatory system	1	7	(Suicide.)	_	
hrush	_	-	Croup	-		Gunshot wound		
forms and other parasitical			Bronchitis	-	1	Cut, stab		
diseases	_		Pneumonia	_	2	Poison		
4 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6			Pleurisy	_	1	Drowning		1
III.			Other diseases of respiratory		1	Drowning	_	1
rivation — Want of breast	1		system			Hanging		1
milk	_		Dentition			Otherwise	_	_
coholism	_		Quinsy, sore throat	-	-	VIII.		
			Enteritis	-		Dropsy	-	
IV.			Peritonitis			Debility, atrophy, inanition	_	
heumatic fever and rheu-			Diseases of liver	-	4	Mortification	-	100-10
matism of heart			Other diseases of digestive			Tumor		
heumatism			system	_	2	Abscess		_
out			Diseases of lymphatic system			Hæmorrhage		-
incer, malignant disease	_	4	and of ductless glands		_	Sudden, cause unascertained.		
abes mesenterica			Diseases of urinary system		2	Other ill-defined and not spe-		
		1	Diseases of generative system		1	cified causes		_
ubercular meningitis		-						

SEPTEMBER, 1897.

The highest temperature in the shade at the Adelaide Observatory during the month was 87°.6 on the 16th; and the lowest, 39°.2, on the 3rd. The mean temperature of the month was 57°.8.

The greatest range of the thermometer in one day, 34°.0, took place on the 21st, viz., from a maximum of 78°.1 to a minimum of 44°.1; the lowest range, 7°.8, on the 28th.

The mean height of the barometer was 29.919 inches; the maximum, 30.370 inches, occurred on the 7th; and the minimum, 29.200 inches, on the 27th

on the 27th.
Observatory, Adelaide, October 5th, 1897.

C. Todd, Observer.

Births and Deaths registered in the undermentioned Corporate Towns in the Quarter ended September 30th, 1897.

	Estimated	Regis	tered du Quarter		The Deaths registered in the Quarter include Deaths from—											
Corporate Towns.	Estimated Population	Deaths.		ths.				1			Diseases of		Diseases o			
	Jan. 1st, 1897	Births.	Total.	Under One Year.	Measles.	Scarlet Fever.		Whooping Cough.	Enteric Fever.	Diarrhœa and Dysentery.	Respira-	Phthisis.	Circula- tory System.			
Adelaide	40,384	303	203	24 11					4	1	18	24	28			
Hindmarsh	9,311	84 27	7	11	-	1	-		_	-	$\frac{2}{2}$	2	1			
Thebarton	4,460	31	18	4							4	1	1			
Port Adelaide	5,476 8,139	70	17	2						1	2	2	3			
Glenelg	4,005	27	13	2									3			
Brighton	963	7	5	-		_					1	2				
Unley	13,144	114	32	4			_	_				2	9			
St. Peters	6,482	40	15	3	_	1			1		1	3	3			
Kensington and Norwood	13,228	83	30	3		-			-	_	2	5	4			
Gawler	2,285	20	8	1	-		-				1		2			
Kapunda	2,200	9	2		_	-	-			_	1		79010			
Burra	2,547	17	8	1	-		-	_		-	4		1			
Clare	1,055	6	3	_	_			_	_		_	. 1	-			
Jamestown	1,205	11	4	2	-		_		-	_	1					
Port Augusta	1,492	11	3	2	_			-	_	-	1	1	_			
Port Pirie	4,841	54	20	9	-	1	1		-	_	4	1	4			
Kadina	1,743	21		1	_			_	_	-	_	. 1	_			
Moonta	1,713	9	5	1				-		_	2		1			
Wallaroo	1,935 732	3	2	1	-						- 0	-	3			
	903	11	1	1					_		2	_	1			
Strathalbyn	2,943	26	18						1			_	1			
Petersburg	2,000	16	6	4			1		1		1	4	4			

GEO. H. AYLIFFE, Registrar-General.